

CLIMADIFF



CBI40DB1

Wine Cellar service

Built-in column

GENERAL INFORMATION

Number of bottles : 36
Number of zones : 2
Adjustable temperature range : 5-20°C
Noise level : 37dB
Energy class : G
Climate class : SN/ST (10-38)
Vinotag compatible : Yes

Product description

The wine cellar that enhances your tastings

This dual-zone wine cellar is specifically designed to fit into a 60 cm niche dedicated to ovens, offering an elegant and practical solution for wine enthusiasts.

It allows you to store your wines at two distinct temperatures, bringing out the full richness of their aromas.

Its compact and modern design integrates seamlessly into your space, while providing optimal control of storage conditions. The reversible door offers maximum flexibility to adapt to your setup, and the compatibility with the Vinotag app allows you to manage your wine collection like a true professional. A concentrate of technology and refinement for your finest vintages.



DUAL TEMPERATURE ZONE
Store and refresh all your wines at the correct temperature in the same cellar



REVERSIBLE DOOR
Adapt the direction of opening of the door to easily install the cellar in the location of your choice



LED LIGHT
LED lighting highlights the wine without harming it or disturbing its storage



VINOTAG COMPATIBLE
Free wine cellar management application. Access a virtual representation of your cellar and a detailed inventory

CBI40DB1

EAN-13 - 3595320107555

Capacity and Temperature

- **Number of bottles: 36**
  - **Upper zone : 24**
  - **Lower zone : 12**

- **Adjustable temperature: 5-20°C**
  - **Upper zone : 5-20°C**
  - **Lower zone : 5-20°C**

Door

Door glass color : Grey
Number of glass layers : 2
Anti-UV : Yes
Tempered glass : Yes
Lock : No
Reversible door : Yes
Handle type : Pulling bar

Security

Alarm : Temperature
Child lock : Yes
Temperature memory : No

Technical Data

Energy class : G
Annual energy (KWh/a) : 140
Climate class : SN/ST (10-38)
Noise level : 37dB /
Energy Efficiancy Index : 169.2 %
Power input : 65.00 W
Voltage : 220-240 V
Length of power cable : 150 cm
Plug Type : E type
Type of gas : R600a
Gas charge : 25 g
Type of compressor : Standard
Main cooling system : Air moving system
Anti-vibration system : Yes

Light

Light source : LED
Dimmable light : no
Light switch : yes


Logistic


Net dimensions (WxDxH): 59.0 x 56.3 x 59.5
Gross dimensions (WxDxH): 65.0 x 65.0 x 65.5
Net weight (kg) : 33.2
Gross weight (kg) : 36.8

Qtty per 20' : 81
Qtty per 40': 162
Qtty per 40 HC: 216
Customs code: 84185090

CBI40DB1

EAN-13 - 3595320107555





Accessories

- 3 shelves, wooden, sliding

Built-in information

Built-in dimensions (WxDxH) : 56.00 x 55.00 x 59.00
Warning installation : Hot air must be driven by the ventilation to the rear wall of the cellar and then expelled upwards. The ventilation channels shall be at least 200 square centimeters in cross-section. Warning: to ensure proper operation, the ventilation grilles must never be obstructed or covered.